

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X132M	32MB memory expansion (32MB SIMM)	\$575	A*	✓									
X267A	20" color monitor	\$2,100	A	✓	✓	✓	✓	✓	✓				
X268A	17" Premium color monitor	\$1,400	A	✓	✓	✓	✓	✓	✓				
(X)595A	25 MB/sec. Fibre Channel Optical Module	\$600	A							✓	✓	✓	
X659A	2.1GB 5400 RPM Internal Fast SCSI-2 SC Expansion Disk	\$800	A*	✓									
(X)765A(R4)	2.1GB 7200 RPM expansion disk drive	\$1,000	A								✓	✓	
(X)766A(R4)	6x2.1GB 7200 RPM expansion disk drive	\$6,000	A								✓	✓	
X954A	Power/Cooling Module, 300W.	\$1,800	A							✓	✓	✓	
X956A	Enterprise Enpansion Cabinet	\$8,000	A							✓	✓	✓	
X958A	Second Peripheral Power Supply, 184W	\$1,500	A							✓			
X959A	SPARCstorage Array Accessories Kit for Enterprise System or Expansion Cabinet	N/C	N/D								✓	✓	
X968A	Floor brackets for Enterprise 3000	\$100	A							✓			
X972A	Rack mount rails for Enterprise 4000	\$450	A								✓		
X976A	Centronics-compatible Parallel Port Adapter Cable	\$75	B	✓	✓	✓	✓	✓	✓				
X981A	AUI Adapter Cable	\$75	B	✓	✓	✓	✓	✓	✓				
X1004A	Token Ring Ingerface/SBus (TRI/S), for Solaris 1.x	\$1,495	B	✓	✓	✓	✓	✓	✓				
X1008A	Serial Parallel Controller (SPC/S) NOTE: Requires Solaris 1.x, or Solaris 2.3 and later.	\$1,095	A	✓	✓	✓	✓	✓					
X1009A	High-speed serial interface/SBus (HSI/S) for Solaris 1.x	\$2,495	B										
X1012A	SunISDN Expansion Kit, SunISDN Card, Certification Labels, and SunISDN Enabling Kit 1.0.1	\$595	A	✓	✓	✓	✓	✓		✓	✓	✓	
X1014A	Token Ring Interface/SBus (TRI/S) for Solaris 2.x	\$1,350	B	✓	✓	✓	✓	✓	✓	✓	✓	✓	
(X)1018A	SunSwift 100BastT fast/wide SCSI SBus adapter	\$1,095	A							✓	✓	✓	
X1019A	High-Speed Serial Interface/SBus (HSI/S) for Solaris 2.x	\$2,275	B	✓	✓	✓	✓	✓		✓	✓	✓	
X1025A	SunFDDI Single-Attach SBus Adapter (SAS) 5.0 NOTE: Requires Solaris 2.5 or later.	\$2,500	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1026A	SunFDDI Dual-Attach SBus Adapter (DAS) 5.0 NOTE: Requires Solaris 2.5 or later.	\$3,775	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1030A	PCMCIA Interface/SBus Card	\$295	A	✓	✓	✓	✓	✓					
X1042A	Quad FastEthernet SBus Card (QFE)	\$1,995	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
(X)1045A	Alteon Gigabit Ethernet Network Interface Card	\$2,295	A										
X1046A	Gigabit Ethernet Switch	\$9,995	A										
X1053A	SBus Fast SCSI-2/Buffered Ethernet Card (FSBE/S)	\$1,095	A	✓	✓	✓	✓	✓		✓	✓	✓	
X1054A	SBus SCSI/Buffered Ethernet Card (SBE/S)	\$1,095	A	✓	✓	✓	✓	✓					
X1055A	SBus SCSI Host Adapter	\$495	A	✓	✓	✓	✓	✓	✓				

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X1057A	SBus 25MB fibre channel host adapter	\$1,600	A							✓	✓	✓	
X1059A	SunFastEthernet 10/100 SBus Adapter 2.0 SBus Card NOTE: Requires Solaris 2.5 or later.	\$795	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1060A	SunATM-155/MFiber SBus Adapter 2.0 NOTE: Requires Solaris 2.4, Hardware: 11/94 or later.	\$1,295	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1061A	SunATM-155/UTP5 SBus Adapter 2.0 NOTE: Requires Solaris 2.4, Hardware: 11/94 or later.	\$995	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1062A	SBus Fast/Wide Differential Intelligent SCSI-2 Host Adapter (DWIS/S) NOTE: Requires Solaris 2.3 or later.	\$1,295	A		✓	✓	✓	✓		✓	✓	✓	
X1063A	SBus Single-Ended Fast/Wide Intelligent SCSI-2 Host Adapter (SWIS/S) NOTE: Requires Solaris 2.3 or later.	\$1,195	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1064	SunATM-622/MFiber SBus adapter NOTE: Requires Solaris 2.4 hardware: 11/94 or later	\$4,995	A							✓	✓	✓	
(X)1065A	SBus Ultra Differential fast/wide intelligent SCSI host adapter	\$1,295	A							✓	✓	✓	
X1191A	UltraSPARC-II 300MHz processor module w/ 2MB cache for Ultra 2	\$10,000	A					✓					
(X)2510A	UltraSPARC module, 167 MHz, 1MB external cache.	\$12,000	A							✓	✓	✓	
(X)2530A	250MHz UltraSPARC module w/ 1MB external cache	\$16,000	A							✓	✓	✓	
(X)2550A	250MHz UltraSPARC module w/ 4MB external cache	\$19,000	A							✓	✓	✓	
(X)2601A	CPU/memory Board w/ 2 empty CPU slots and 2 empty memory banks (up to 4MB modules) NOTE: 1 CPU/memory board supports up to 2 memory expansion options and 2 UltraSPARC modules	\$9,000	A							✓	✓	✓	
(X)2610A	SBus I/O Board with 3 empty SBus slots, 2 empty 25MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) Interface.	\$6,500	A							✓	✓	✓	
(X)2620A	Graphics I/O Board with 1 UPA slot, 2 empty SBus slots, 2 empty 25MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) interface.	\$7,000	A							✓	✓	✓	
X3653A	Creator series 1, 24-bit color graphics accelerator, horizontal board and cable	\$1,550	A				✓	✓					
X3654A	Creator3D series 1, 24-bit color double buffered graphics accelerator, horizontal board and cable	\$2,550	A				✓	✓					
X3655A	TurboGXplus 8-bit color graphics card, cables and documentation	\$2,050	A	✓	✓	✓	✓	✓	✓				
X3800A	Power Cord for Enterprise System and Expansion Cabinets, U.S. version (NEMA L6-30P plug).	N/C	-								✓	✓	
X3848A	Power Cord for Enterprise System and Expansion Cabinets, International version (IEC 309 plug, 32A, 250V).	N/C	-								✓	✓	
X3860A	Fast-Narrow SCSI-2 cable for connecting X-options to Ultra 2.	\$25	A					✓					

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X3872A	Video Connector adapter HD15F to 13W3M	\$45	A										
X5151A ^{1,3}	2.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable	\$1,175	A*			✓	✓	✓		✓	✓		
X5152A ^{2,3}	2.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable	\$1,175	A*	✓	✓								
(X)5161A	4.2GB Disk Board with 2 x 2.1GB 7200 RPM Fast/Wide SCSI Disk Drives.	\$3,700	A*								✓	✓	
X5175A	2.1GB 5400 RPM Internal Fast SCSI-2 SC Expansion Disk	\$800	A*		✓								
(X)5206A(R4)	4.2GB 7200 RPM expansion disk drive w/ mounting bracket	\$1,450	A								✓	✓	
(X)5207A(R4)	6x4.2GB 7200 RPM expansion disk drive w/ mounting bracket	\$8,700	A								✓	✓	
X5209A ^{1,3}	4GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$1,625	A*			✓	✓	✓		✓	✓		
X5213A ^{2,3}	4GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$1,625	A*	✓	✓								
X5214A ⁴	4.2GB 7200 RPM Fast SCSI-2 Internal SC Drive and Expansion Drive for MultiPack 12.	\$1,400	A*			✓	✓	✓	✓	✓			
X5251A ⁴	9.1GB Internal 7200 RPM Fast/Wide SCSI-2 Disk Drive	\$2,320	A*	Expansion Drive for MultiPack 6									
X5253A ^{1,3}	9.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$2,545	A*			✓	✓	✓		✓	✓		
X5254A ^{2,3}	9.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$2,545	A*	✓	✓								
X5511A ⁴	4.2GB (2 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$2,900	A*	✓	✓	✓	✓	✓		✓	✓		
X5512A ⁴	12.6GB (6 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$6,700	A*	✓	✓	✓	✓	✓	✓	✓	✓		
X5513A ⁴	25.2GB (12 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$12,400	A*	✓	✓	✓	✓	✓	✓	✓	✓		
X5514A ⁴	8.4GB (2 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$3,700	A*	✓	✓	✓	✓	✓		✓	✓		✓
X5515A ⁴	25.2GB (6 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$9,400	A*	✓	✓	✓	✓	✓		✓	✓		✓

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X5516A ⁴	50.4GB (12 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later. SMC: must be added as a pair.	\$17,800	A*	✓	✓	✓	✓	✓		✓	✓		
(X)6055A(R4)	20-40GB SPARCstorage DLT4000 internal drive for Multi-Tape Backup Tray. NOTE: Requires Solaris 2.4 or later.	\$6,400	A							✓	✓	✓	
(X)6056A(R4)	SPARCstorage DLT4000 Tape with Multi-Tape Tray	\$8,400	A							✓	✓	✓	
X6057A ¹	20-40GB DLT4000 FlexiPack tape w/ 68-68pin SCSI cable	\$6,900	A			✓	✓	✓	✓	✓	✓	✓	
X6058A ²	20-40GB DLT4000 FlexiPack tape w/ 50-68pin SCSI cable	\$6,900	A	✓	✓								
X6060A ¹	35-70GB DLT7000 FlexiPack tape w/ 68-68pin SCSI cable	\$10,900	A			✓	✓	✓	✓	✓	✓	✓	
X6061A ²	35-70GB DLT7000 FlexiPack tape w/ 50-68pin SCSI cable	\$10,900	A	✓	✓								
X6063A	DLT7000 drive for ETL 4/1800 or ETL 7/3500 NOTE: Requires Solaris 2.5 or later.	\$13,500	A										
X6071A ⁴	140-280GB SPARCstorage DLT4700 AutoLoader in a Desktop Enclosure with SCSI cable. NOTE: Requires Solaris 2.4 or later.	\$16,000	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X6073A	Enterprise Tape Library ETL 4/1800 w/ 2 DLT 7000 tape drives, 52 slots NOTE: Requires Solaris 2.5 or later; DWIS/S host adapter for every 2 drives ordered	\$72,000	A		✓	✓	✓	✓	✓	✓	✓	✓	
X6074A	Enterprise Tape Library ETL 4/1800 w/ 4 DLT 7000 tape drives, 52 slots NOTE: Requires Solaris 2.5 or later; DWIS/S host adapter for every 2 drives ordered	\$99,000	A		✓	✓	✓	✓	✓	✓	✓	✓	
X6075A	Enterprise Tape Library ETL 7/3500 w/ 2 DLT 7000 tape drives, 100 slots NOTE: Requires Solaris 2.5 or later; DWIS/S host adapter for every 2 drives ordered	\$85,000	A		✓	✓	✓	✓	✓	✓	✓	✓	
X6076A	Enterprise Tape Library ETL 7/3500 w/ 7 DLT 7000 tape drives, 100 slots NOTE: Requires Solaris 2.5 or later; DWIS/S host adapter for every 2 drives ordered	\$152,500	A		✓	✓	✓	✓	✓	✓	✓	✓	
X6101A ¹	2.5GB QIC Tape UniPack with 68-68 pin SCSI cable	\$1,125	A			✓	✓	✓	✓	✓	✓		
X6102A ²	2.5GB QIC Tape UniPack with 50-68 pin SCSI cable	\$1,125	A	✓	✓								
(X)6104A	Internal 2.5GB 1/4-inch Tape Drive	\$900	A							✓	✓	✓	
X6157A ¹	SunCD 12 UniPack with 68-68 pin SCSI cable	\$525	A*			✓	✓	✓	✓	✓	✓		
X6158A ²	SunCD 12 UniPack with 50-68 pin SCSI cable	\$525	A*	✓	✓								
X6159A ¹	SunCD 12 FlexiPack with 68-68 pin SCSI cable & 1 additional open half-height expansion bay	\$700	A*			✓	✓	✓	✓	✓	✓		
X6160A ²	SunCD 12 FlexiPack with 50-68 pin SCSI cable & 1 additional open half-height expansion bay	\$700	A*	✓	✓								

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X6161A	SunCD 12 internal CD-ROM drive for the FlexiPack	\$300	A	✓	✓	✓	✓	✓	✓				✓
6165A	SunCD 12 internal CD-ROM drive for the Netra NFS 150	\$300	A						✓				
X6208A ¹	14GB 8mm UniPack tape w/ 68-68pin SCSI cable	\$2,625	A			✓	✓	✓	✓	✓	✓		✓
X6209A ²	14GB 8mm UniPack tape w/ 50-68pin SCSI cable	\$2,625	A	✓	✓								
X6210A ¹	14GB 8mm FlexiPack tape w/ 68-68pin SCSI cable & 1 additional open half-height expansion bay	\$2,900	A			✓	✓	✓	✓	✓	✓		
X6211A ²	14GB 8mm FlexiPack tape w/ 50-68pin SCSI cable & 1 additional open half-height expansion bay	\$2,900	A	✓	✓								
X6212A	14GB 8mm internal tape for U1/U2/FlexiPack	\$2,400	A		✓		✓	✓					
(X)6213A	14GB 8mm internal tape option for Enterprise 3000 & 4000	\$2,400	A							✓	✓		
X6225A ⁴	400-800GB 8mm SPARCstorage Library, External Deskside unit. NOTE: Requires Solaris 2.5 or later and DWIS/S Host Adapter	\$26,000	A		✓	✓	✓	✓	✓	✓	✓	✓	
(X)6226A(R4)	400GB 8mm SPARCstorage Library Model 8/400, rack-mountable unit in dark-grey color w/ tape drives	\$26,000	A							✓	✓	✓	
(X)6227A(R4) ⁴	140-GB 8mm SPARCstorage Library w/ 1 internal drive in a floorstanding tower unit NOTE: Requires Solaris 2.3 or later & Solstice Backup 4.2, the Turbo module and the 1-32 Slot Capacity Jukebox Software module license to run in random-access mode & to access the bar-code reader funtions.	\$8,500	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
(X)6228A(R4)	140GB 8mm SPARCstorage Library w/ 1 internal drive in a rackmount unit	\$8,500	A							✓	✓	✓	
X6229A	14-GB 8mm internal tape option for the 140GB 8mm tape libraries NOTE: Requires Solaris 2.3 or later	\$2,700	A	Option for SSL Model 8/140									
X6230A ^{1,3}	20-40GB 8mm SPARCstorage UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$6,625	A			✓	✓	✓	✓	✓	✓	✓	✓
X6231A ^{2,3}	20-40GB 8mm SPARCstorage UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$6,625	A	✓	✓								
X6232A ^{1,3}	20-40GB 8mm FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay NOTE: Requires Solaris 2.5 or later	\$6,900	A			✓	✓	✓	✓	✓	✓	✓	
X6233A ^{2,3}	20-40GB 8mm FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay NOTE: Requires Solaris 2.5 or later	\$6,900	A	✓	✓								
(X)6234A	20-40GM 8mm internal tape drive for E3000 w/ cable	\$6,400	A							✓			
(X)6235A	20-40GM 8mm internal tape drive for E4000 w/ cable	\$6,400	A								✓		
X6236A ³	20-40GB 8mm internal tape drive for the FlexiPack	\$6,400	A	✓	✓	✓	✓	✓	✓				✓
X6261A ¹	4-8GB 4mm DDS-2 UniPack w/ 68-68pin SCSI cable	\$1,475	A			✓	✓	✓	✓	✓	✓		✓
X6262A ²	4-8GB 4mm DDS-2 UniPack w/ 50-68pin SCSI cable	\$1,475	A	✓	✓								

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X6263A ¹	4-8GB 4mm DDS-2 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A			✓	✓	✓	✓	✓	✓		
X6264A ²	4-8GB 4mm DDS-2 FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A	✓	✓								
X6265A	4-8GB 4mm DDS-2 FlexiPack internal tape drive for the FlexiPack	\$1,250	A	✓	✓	✓	✓	✓	✓				✓
(X)6280A ¹	12-24GB 4mm DDS-3 Tape UniPack with 68-68 pin SCSI cable.	\$2,350	A			✓	✓	✓	✓	✓	✓		✓
(X)6281A ²	12-24GB 4mm DDS-3 Tape UniPack with 50-68 pin SCSI cable.	\$2,350	A	✓	✓								
(X)6282A	12-24GB 4mm DDS-3 Internal Tape Drive NOTE: Requires Solaris 2.4 or higher. For Netra 1300, also order X3860A.	\$2,125	A		✓		✓	✓					
(X)6283A	12-24GB 4mm DDS-3 Internal Tape Drive.	\$2,125	A							✓	✓	✓	
X6284A ¹	12-24GB 4mm DDS-3 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,625	A			✓	✓	✓	✓	✓	✓		
X6285A ²	12-24GB 4mm DDS-3 FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,625	A	✓	✓								
(X)6286A	12-24GB 4mm DDS-3 Internal Tape Drive for E150. NOTE: Requires Solaris 2.4 or higher.	\$2,125	A			✓			✓				
X6290A ¹	72-144GB 4mm DDS-3 FlexiPack autoloader tape wi/ 68-68pin SCSI cable	\$5,950	A			✓	✓	✓	✓	✓	✓		
X6291A ²	72-144GB 4mm DDS-3 FlexiPack autoloader tape wi/ 50-68pin SCSI cable	\$5,950	A	✓	✓								
(X)6292A(R4)	72-144GB 4mm DDS-3 Tape AutoLoader with Multi-Tape Backup Tray.	\$7,450	A							✓	✓	✓	
(X)6293A(R4)	72-144GB 4mm DDS-3 Autoloader internal drive with multi-tape backup tray.	\$5,450	A							✓	✓	✓	
(X)6507A(R4)	12.6GB (3x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Module	\$9,650	A								✓	✓	
(X)6508A(R4)	29.4GB (7x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Module	\$15,850	A								✓	✓	
(X)6509A(R4)	4.2GB 7200 RPM SSA RSM drive module	\$1,550	A								✓	✓	
(X)6514A(R4)	3x9.1GB SPARC storage RSM	\$12,410	A								✓	✓	
(X)6515A(R4)	7x9.1GB SPARCstorage RSM	\$22,290	A								✓	✓	
(X)6516A(R4)	9.1GB drive module for SPARCstorage RSM	\$2,470	A								✓	✓	
(X)6517A(R4)	25.2GB (6x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable	\$24,100	A								✓	✓	
(X)6518A(R4)	75.6GB (18x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable	\$41,500	A								✓	✓	
(X)6519A(R4)	126GB (30x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable	\$58,900	A								✓	✓	
X6520A	2.1GB Internal 7200 RPM SCSI expansion disk	\$950	A			✓	✓	✓	✓	✓			

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X6527A ⁴	18.2GB MultiPack 2 (2x9.1) <i>NOTE:</i> Requires Solaris 2.3 or later; UltraSCSI, F/W or F/N host interface; must be connect to Ultra 30 SCSI interface or UltraSCSI host adapter for UltraSCSI performance. At UltraSCSI speeds, only 1 MultiPack 2 allowed.	\$5,640	A*	✓	✓	✓	✓	✓					
X6528A ⁴	36.4GB MultiPack 2 (4x9.1) <i>NOTE:</i> See X6527A	\$10,280	A*	✓	✓	✓	✓	✓					
X6529A ⁴	54.6GB MultiPack 2 (6x9.1) <i>NOTE:</i> See X6527A	\$14,920	A*	✓	✓	✓	✓	✓					
(X)6590A(R4)	12.6GB (6x2.1GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable in Enterprise X000 colors	\$21,400	A							✓	✓	✓	
(X)6591A(R4)	37.8GB (18x2.1GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable in Enterprise X000 colors	\$33,400	A							✓	✓	✓	
(X)6592A(R4)	63GB (30x2.1GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable in Enterprise X000 colors	\$45,400	A							✓	✓	✓	
X7002A	64MB ECC memory expansion (2 x 32MB SIMMs)	\$1,000	A*		✓	✓	✓	✓	✓				
X7003A	128MB ECC memory expansion (2 x 64MB SIMMs)	\$2,000	A*		✓	✓	✓	✓	✓				
X7004A	256MB ECC memory expansion (2 x 128MB SIMMs)	\$7,500	A*		✓	✓	✓	✓	✓				
X7022A	256MB ECC memory expansion (8 x 32MB SIMMs)	\$4,750	A*							✓	✓	✓	
X7023A	1GB ECC memory expansion (8 x 128MB SIMMs)	\$48,500	A*							✓	✓	✓	
X7103A	17" Entry Level Color Monitor	\$900	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X7110A	TurboGX 8-bit color graphics card, cables and documentation	\$1,050	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X7124A	24" wide screen color monitor	\$4,000	A	✓	✓	✓	✓	✓	✓				
NETRA-I-3.1-E-S	Netra i 3.1 Encryption Kit. For U.S. customers only.	N/C	-	✓	✓	✓	✓	✓	✓		✓	✓	
NETRA-IPX-CLNT-L5	5-user IPX Gateway Client License	\$300	B	For Netra i systems									
NETRA-IPX-CLNT-L25	25-user IPX Gateway Client License	\$1,375	B	For Netra i systems									
NETRA-IPX-CLNT-L50	50-user IPX Gateway Client License	\$2,500	B	For Netra i systems									
NETRA-NFS-L25	25-user Client RTU for Syntax Totalnet Server software bundled with Netra NFS servers.	\$1,000	A						✓				
NETRA-NFS1.1	Netra NFS SmartServe 1.1 software, factory installed, for the Netra NFS 150 server.	N/C	-						✓				

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.